





Produce documents with bleed-edges tabs

Fiery FS700 Pro / FS700



Feature overview

Fiery® JobMaster™ is a key component of the Fiery Workflow Suite. Fiery JobMaster provides advanced PDF-based job-preparation functions. With JobMaster, users can print tab ears with bleed-edge settings on each page of a section, with incremental tab position for each successive chapter.

Applications include books, manuals, or catalogs.

Objectives

- Define bleed-edge tabs on a catalog


Additional resources



For additional software downloads, training resources, and more, go to [Fiery Online Resources](#).

Before you begin


- Open [Fiery Command WorkStation® 7.1](#) or newer. Connect to a Fiery Driven™ printer running Fiery FS700 / FS700 Pro system software or newer that supports Fiery JobMaster.
 - For the updated list of supported printers, go to solutions.fiery.com/jobmaster/supported-printers
- To request a free 30-day trial of Fiery JobMaster, go to: solutions.fiery.com/jobmaster/30daytrial
- Activate the Fiery JobMaster license on the computer running Command WorkStation.
- Place the file, **fiery_westend_samplesuite_catalog_nobleed_bookmarks**, in the Fiery server HELD queue. Drag the file to the Command WorkStation Held list or use the Command WorkStation Import menu option.
- Ensure the printer and Fiery server have been calibrated before printing any output.

Define bleed-edge tabs

1. Select the **fiery_westend_samplesuite_catalog_nobleed_bookmarks** file in the Command WorkStation Held list. Then right-click and select **JobMaster**. Or click the **JobMaster** icon from the toolbar if has been added.
2. In the Job Summary pane, look under the Bookmarks section. Deselect "Non-bookmark pages" and ensure "**Level 1 pages**" is selected. This will show only the pages in the catalog with predefined bookmarks in the Page View panel above.
 
3. In the Page View pane, select page 4 and click the **Chapter Start** icon. Or click **Actions > Chapter Start**.
 
4. Then select all the pages with the predefined bookmarks (4, 14, 24, 34, 44, 54, 64). Right click anywhere in the Page View pane and click **Select All** or **Ctrl+A**.
5. In the Settings pane, select **8 1/2 x11** or **A4** for the sheet size.
6. For Duplex, select **Top-Top**.
7. Select the checkbox for the **Cover** option. In the Cover Media dialog box, select **Front Cover**. Then under **Print on**, select **Outside**.
8. Select **Back Cover checkmark**, and under **Print on** select **Outside**.
9. Then click **OK** button.
10. Right-click the selected pages in Page View, and select **Edit Bleed Edge Tab**. Or Click **Actions > Edit Bleed Edge Tab**.



11. The Bleed Edge Tabs window will open. In the Content tab window, enter the **Page Range**, **Tab Text** and **Color** using the chart information below.




Page Range	Tab Text	Color (R,G,B)
4 -13	Sofas & Soft Furnishings	86, 119, 122
14-23	Bedroom Furniture	136, 143, 98
24-33	Dining Room Furniture	33, 62, 76
34-43	Storage Furniture	204, 157, 67
44-53	Desks & Office Needs	51, 49, 46
54-63	Outdoor Furniture	158, 59, 55
64-73	Lamps & Vases	182, 89, 52

- a. Enter the page range numbers into the **From** and **To** window. Use the tab key after entering each page range number to advance to the next entry.

- b. Enter the tab text for each section into the **Type** window.
- c. Change the Font to **Arial** and the Font Size to **11**.
- d. Click **Apply styles to all**. Clear all the option check boxes except **Text Styles** and click **Apply**. This will apply only the font text styles to all tabs.
- e. Select each page range and define the **color** for each section.

To add a background color to the tab text field, click .


When the icon changes to  select the Background Color. Click the **Background color** and choose a color picker. Select the RGB sliders to specify the RGB values for each tab section color. Define the background color according to the chart.



- To delete a page range, select the Remove icon (red minus symbol) at the bottom.
- Create a color palette for frequently used colors by dragging each new color on to the color palette box as you define each color. Save time by creating the complete color palette first, before selecting each section and assigning the color.
- Apply styles to all... allows you to select which options to apply to all tab sections and then Apply with a click. (Tab Label, Text Styles, Background Styles, and Image styles; or Apply styles to tabs of the same position).

12. At the top, switch from List view to **Preview** to view your document with the settings you entered. Here you can make changes to the tab text and background color, and see a live update in the preview.


13. Ensure the text fits in the bleed edge tab, add a line break for the sections that are too long: **Sofas & Soft Furnishings**, and **Dining Room Furniture**.



14. Select the **Position** tab to define additional tab positioning and size options. For this example, ensure the **Number of tabs** is set to **7**.
15. In the **Printing Area**, set the **Distance from edge** for **Side** to **0.25** inches for this example.
16. Click **OK** when you are done viewing or changing the additional options.

- The Position window includes options for the number of tabs, position, and printing of the bleed tabs, as well as the repeat style.

17. Save the document, select menu **File > Save**.
18. **Save** your job with a new name, **catalog_bleed-edge_tabs.pdf** for instance, and click **OK** when done.
19. Close **JobMaster**, select menu **File > Exit**, or click on the **X** on the upper right-hand corner.
20. In the Held queue, select the new job and open **Job Properties**, then select the inline booklet and trim finishing options for your printer, if available.
21. You are now ready to print your document.





For more information, please visit fiery.com